Artwork Information Panel

Customer		Date	Draft
BIOFARMA s.r.l.		25.08.2023	0
Product Type	Product Market Trade Name		
Folding Cartons	"PEGTINGON 30x5gr" CE		
Code	Bill of Material	Technical Specifications	
12010110160416001	-	-	

Material	Die cut Drawing Code	Die cut Code	Internal Dimension (mm)	Grammage (g/m²)
TAMBRITE	59ZV	59ZV	145,5x70x99	285 gr.

Colors (front): Black, PANTONE 2210 C, Ris. Vern. UV, die cut

PALLADIO GROUP
Packaging clinic

PRINT APPROVAL

Date_____

Signature_____

Please check with particular care: texts, dimensions and graphics and legal indications based on the authorizations in your possession. Palladio Group S.p.A. will not be liable under any circumstances for printing errors previously approved in the draft. The colors on this proof are approximate, definition and colors do not reflect the final result of the printed production.

PEGTINGON® 5g

Macrogol 3350

WORKS WITHIN 24-72 HOURS

INGREDIENTS
Macrogol 3350

HOW IT WORKS
This medicine is a soluble laxative powder with high molecular weight that has the ability to retain the water used for intake to soften the stools. It determines a rehydration and a softening of the feces that facilitate the evacuation of the intestinal contents in the rectum and colon. This is not absorbed or metabolized in the gastrointestinal tract, therefore it is not associated to metabolic alterations. It does not cause the hypokalemic imbalances, if taken with the indicated dose of fluid.

INDICATIONS
Treatment of constipation. It favors peristalsis, helping to have an adequate intestinal evacuation, thus counteracting constipation and preventing the formation of fecalomes.

HOW TO TAKE
Adults and children over 12 years of age:
- Start with 2 sachets per day
Dosage should be increased or reduced, according to individual's response to the treatment, to produce the regular evacuation of soft stools. The maximum recommended dose does not normally exceed 4 sachets per day.
Dissolve the powder in water or another liquid (60 ml for each sachet) and take immediately. In case of minimum dose intake (2 sachets per day), it is intake between morning and evening.
If you do not see any improvement after 7 days of treatment, consult your doctor.

Children between 6 months to 12 years
- from 6-15 kg: 1 sachet per day
- from 15-30 kg: 2 sachets per day
- from 30-45 kg: 3 sachets per day
- from 45 kg: 4 sachets daily
Dosage should be increased or reduced, according to individual's response to the treatment, to produce the regular evacuation of soft stools. The maximum recommended dose does not normally exceed 4 sachets per day.
Dissolve the powder in water or another liquid (60 ml for each sachet) and take immediately. In case of minimum dose intake (1 sachet per day), it is recommended to take the product in the morning. For higher doses, split the intake between morning and evening.
If you do not see any improvement after 7 days of treatment, consult your doctor.

WARNINGS
It is recommended to use the product in paediatric patients after having consulted your doctor.
The use in children must be under direct adult supervision.
Do not use the product after the expiry date which is stated on the package.
Do not use if the package has been opened or damaged.
The product contains sorbitol. It is therefore advisable to consult your doctor in the case of simultaneous intake of oral medicines, at least 2 hours apart, in case they are administered at a distance of 7 days.
The product may result in a potential interactive effect if used with starch-based medicinal products. The product may interfere with preparations that need to remain thick for people with swallowing problems.
In case of adverse reactions stop using the product and consult your doctor.

HOW TO STORE
Keep out of reach and sight of children.
Keep in a dry and cool place, protected from light and away from heat sources.
Store in a dry and cool place, protected from light and away from heat sources.
The expiry date refers to the product stored correctly.

Powder for oral solution
30 Single - dose sachets of 5g each

Symptomatic treatment of constipation

Medical Device

CE 0373

LOT

8 139227 001224

12010110160416001

CE 0373

Symptomatic treatment of constipation

Medical Device

Powder for oral solution
30 Single - dose sachets of 5g each



PEGTINGON® 5g
Macrogol 3350

PEGTINGON® 5g
Macrogol 3350

Manufacturer by:
Biofarma
Via Castellere 2 - Mereto di Tomba (UD) - Italy

Last revision date: August 2022
(ES1_09220_11 F22)

PEGTINGON® 5g
Macrogol 3350
Powder for oral solution
30 Single - dose sachets of 5g each
Symptomatic treatment of constipation

PEGTINGON® 5g
Macrogol 3350

PEGTINGON® 5g
Macrogol 3350

Date: 14 Sept 2023

CÔNG TY TNHH DƯỢC PHẨM TRANG THIẾT BỊ Y TẾ NHÂN VIỆT
M.S.D.N: 0315722270 - C.T.T.N.H.H - QUẬN 7 - TP HỒ CHÍ MINH

HO NGUYEN THANH NHAN